Avocet, American, 57
Aythya affinis, 52
americana, 51
collaris, 51–52
ferina, 51
fuligula, 52, 136
marila, 52
valisineria, 51

Bartramia longicauda, 2, 58, 128
Becard, Rose-throated, 118
Bittern, American, 49
Yellow, 49
Blackbird, Brewer's, 80
Red-winged, 79–80
Rusty, 36, 80
Yellow-headed, 80
Black-Hawk, Common, 136
Bluebird, Eastern, 33
Mountain, 72
Bluethroat, 72, 138
Bluetail, Red-flanked, 72
Bobolink, 36, 40, 79
Bock, Carl E., see Walsh, J. J.
Bombycilla cedrorum, 74
garrulus, 74
Bonasa umbellus, 56
Booby, Blue-footed, 100, 101, 106
Brown, 100, 102, 106, 124
Masked, 98, 99, 124
Red-footed, 124
Botaurus lentiginosus, 49
Brachyramphus brevirostris, 63
marmoratus, 63
Bradley, Jim, see Leukering, T.
Brambling, 80
Branta bernicla, 50
canadensis, 50–51
leucopis, 47
Breese, Dawn, see Tershy, B. R
Brotogeris chiriri, 183, 186, 188, 191, 192, 196, 197, 198–199, 200
pyrrhopterus, 184, 192
versicolurus, 183, 186, 188, 191, 192, 193, 196, 209
Bubo virginianus, 64, 104
Bubulcus ibis, 49
Bucephala albeola, 52
clangula, 52
islandica, 52
Buchanan, Joseph B., and Joseph R. Evenson, Abundance of shorebirds at Willapa Bay, Washington, 158–168
Budgerigar, 183, 184, 185
Bufflehead, 52
Bullfinch, 82
Bulweria bulwerii, 117–118
Bunting, Gray, 79
Indigo, 35, 76, 225–227
Lark, 36
Lazuli, 225–227
Little, 79
McKay's, 79
Painted, 35, 135, 139
Pallas', 79
Pine, 79
Reed, 79
Rustic, 79
Snow, 79
Yellow-breasted, 79
Buteo albonotatus, 127, 136
jamaicensis, 53–54, 103
lagopus, 54
swainsoni, 53
Buteogallus anthracinus, 136
Butorides virescens, 49, 100

Cacatua galerita, 184
Calamospiza melanocorys, 36
Calcarius lapponicus, 79
mccownii, 36
ornatus, 36, 41
pictus, 2, 36, 79
Calidris acuminata, 59
alba, 59, 159, 162, 164, 166
alpina, 60, 160, 161, 162, 164, 166
bairdii, 59
canutus, 59, 160, 162, 163–164, 165
ferruginea, 60, 127, 131
fuscicollis, 59, 137
himantopus, 60
maritima, 59
mauri, 59, 160, 161, 162, 164, 166
melanotos, 59
minuta, 59, 128, 137
minutilla, 59, 160, 162, 164, 165
ptilocnemis, 59–60
pusilla, 59
ruficollis, 59, 117, 128, 131
subminuta, 59
temminckii, 59
tenuirostris, 59
Calypte anna, 13–18, 66, 104, 130
costae, 66, 104, 130
Canvasback, 51
Caprimulgus indicus, 65
ridgwayi, 118
vociferus, 65
Caracara, Crested, 118, 136
Caracara plancus, 118, 136
Carduelis flammea, 81
hornemanni, 81–82
pinus, 82
psaltria, 106

sinica, 82
spinus, 82
tristis, 82
Carpodacus cassinii, 81
erythrinus, 81
mexicanus, 81, 106
purpureus, 81
Catbird, Gray, 33, 134, 138
Catharacta maccormicki, 61
Cathartes aura, 53
Catharus fuscescens, 33, 40, 41, 47, 72, 133
guttatus, 72, 105
minimus, 33, 40, 72, 133–134
ustulatus, 72
Catoptrophorus semipalmatus, 47, 162, 165
Cepphus columba, 63
grylle, 63
Cerorhinca monocerata, 63
Certhia americana, 70
Ceryle alcyon, 66, 104
Chace, Jameson F., Alexander Cruz, and Alexander Cruz Jr., Nesting success of the Western Wood-Pewee in Colorado, 110–112
Chaetura pelagica, 65
vauxi, 65
Charadrius alexandrinus, 57, 115, 174–176
dubius, 57
hiaticula, 57, 118
mongolus, 57
morinellus, 57
semipalmatus, 57, 161, 162
vociferus, 57, 115, 161, 162
wilsonia, 137
Chat, Yellow-breasted, 47
Chen caerulescens, 50
canagica, 50, 125
rossii, 50
Chickadee, Black-capped, 69
Boreal, 69
Chestnut-backed, 69
Gray-headed, 69
Mountain, 69
Chlidonias leucopterus, 63, 118
niger, 63
Chondestes grammacus, 77, 105
Chordeiles acutipennis, 65, 104
minor, 65
Cinclus mexicanus, 70
Circus cyaneus, 53
Cistothorus platensis, 33
Clangula hyemalis, 52
Coccothraustes coccothraustes, 82
vespertinus, 82
Coccyzus americanus, 64
Cockatiel, 184, 185, 203, 204
Cockatoo, Sulphur-crested, 184
Colaptes auratus, 67
Collins, Charles T., Hybridization of a Sandwich and Elegant Tern in California, 169–173; and Lisa M. Kares, Seasonal flock sizes of naturalized Mitred Parakeets (*Aratinga mitrata*) in Long Beach, California, 218–222; see also Garrett, K. L.
Columba fasciata, 64
livia, 47
Columbina talpacoti, 132, 138
Contopus cooperi, 67
pertinax, 137
sordidulus, 67, 110–112
virens, 33, 40, 117, 133
Cooper, Daniel S., see Rowe, S. P.
Coot, American, 56
Eurasian, 56
Coragyps atratus, 118
Cormorant, Brandt's, 49, 97, 100, 106
Double-crested, 49, 100
Kenyon's, 49
Pelagic, 49
Red-faced, 49
Corvus brachyrhynchos, 69, 111, 202, 212, 221
caurinus, 69
corax, 69, 105, 106, 111
Cowbird, Brown-headed, 80, 106, 111, 143, 149–150, 152, 153–154, 225
Crane, Common, 57
Sandhill, 56–57
Creagrus furcatus, 118
Creeper, Brown, 70
Crossbill, Red, 81
White-winged, 81
Crow, American, 69, 111, 202, 212, 221
Northwestern, 69
Cruz, Alexander, see Chace, J. F
Cruz, Alexander Jr., see Chace, J. F.
Cuckoo, Common, 64
Oriental, 64
Yellow-billed, 64
Cuculus canorus, 64
saturatus, 64
Curlew, Bristle-thighed, 59
Eskimo, 58
Far Eastern, 59
Little, 58, 117, 128
Long-billed, 160, 162, 163, 165
Cyanocitta cristata, 33, 111
stelleri, 69, 111

Cyanoliseus patagonus, 184
Cyclorrhynchus psittacula, 63
Cygnus buccinator, 50
  columbianus, 50
  cygnus, 50, 117, 125
Cynanthus latirostris, 132
Cypseloides niger, 65, 137
  storeri, 137

Delichon urbica, 68
Dendragapus obscurus, 55
Dendrocopos major, 66
Dendroica caerulescens, 34, 41
  castanea, 35
  cerulea, 35
  chrysoparia, 34
  coronata, 75, 105
  discolor, 34, 41, 75
  dominica, 34, 134
  fusca, 34, 41
  kirtlandi, 32, 34, 40
  magnolia, 34, 75
  petechia, 75
  palmarum, 34, 40, 41, 76
  pensylvanica, 34, 41
  pinus, 34, 134
  striata, 35, 41, 76
  townsendi, 75, 105
  tigrina, 34, 75
  virens, 34, 75
Dickcissel, 35
Diomedea albatrus, 48
  cauta, 117
  immutabilis, 48
  nigripes, 48, 126
Dipper, American, 70
Dolichonyx oryzivorus, 36, 40, 79
Dotterel, 57
Dove, Mourning, 64, 104, 106
  Oriental Turtle, 64
  Rock, 47
  Ruddy Ground, 132, 138
  White-winged, 64, 104
Dovekie, 63
Dowitcher, Long-billed, 60, 160, 162, 164, 165
  Short-billed, 60, 160, 161, 162, 164, 166
Doyle, Terry J., The Timberline Sparrow, *Spizella* (*breweri*) *taverneri*, in Alaska, with notes on breeding habitat and vocalizations, 1–12
Duck, American Black, 51
  Harlequin, 52
  Ring-necked, 51–52
  Ruddy, 53
  Spot-billed, 51
  Tufted, 52, 136
  Wood, 51
Dumetella carolinensis, 33, 134, 138
Dunlin, 60, 160, 161, 162, 164, 166

Eagle, Bald, 53
  Golden, 54
  Steller's Sea, 53
  White-tailed, 53
Egret, Cattle, 49
  Chinese, 49
  Great, 49, 100
  Reddish, 124
  Snowy, 47, 100
Egretta eulophotes, 49
  rufescens, 124
  thula, 47, 100
  tricolor, 124
Eider, Common, 52
  King, 52, 127
  Spectacled, 52
  Steller's, 52
Emberiza aureola, 79
  leucocephalos, 79
  pallasi, 79
  pusilla, 79
  rustica, 79
  schoeniclus, 79
  variabilis, 79
Empidonax alnorum, 33, 40, 41, 67, 138
  difficilis, 67, 97, 104
  flaviventris, 33, 67, 137
  hammondii, 67
  minimus, 33, 41, 67
  oberholseri, 67, 178
  traillii, 67, 111, 142–157
  virescens, 33
  wrightii, 33
Eos bornea, 184
Eremophila alpestris, 2, 68
Euphagus carolinus, 36, 80
  cyanocephalus, 80
Eurynorhynchus pygmeus, 60
Evenson, Joseph R., see Buchanan, J. B.

Falcipennis canadensis, 55
Falco columbarius, 54
  peregrinus, 54, 104, 106
  rusticolus, 55, 136
  sparverius, 54, 104, 106, 206
  subbuteo, 54
  tinnunculus, 54
Falcon, Peregrine, 54, 104, 106
Ficedula mugimaki, 47
  narcissina, 71
  parva, 71

Fieldfare, 73
Finch, Cassin's, 81
Common Rose, 81
Gray-crowned Rosy, 80
House, 81, 106
Purple, 81
Flicker, Northern, 67
Flycatcher, Acadian, 33
Alder, 33, 40, 41, 67, 138
Asian Brown, 71
Dusky, 67, 178
Dusky-capped, 133
Gray, 33
Gray Silky, 138–139
Gray-spotted, 71
Great Crested, 33, 67
Hammond's, 67
Least, 33, 41, 67
Mugimaki, 47
Narcissus, 71
Olive-sided, 67
Pacific-slope, 67
Red-breasted, 71
Scissor-tailed, 33, 133
Siberian, 71
Western, 67, 97, 104
Willow, 67, 111, 142–157
Yellow-bellied, 33, 67, 137
Forpus sp., 203, 204
Fratercula cirrhata, 64
corniculata, 64
Fregata magnificens, 49, 100
Frigatebird, Magnificent, 49, 100
Fringilla montifringilla, 80
Fulica americana, 56
atra, 56
Fulmar, Northern, 48
Fulmarus glacialis, 48

Gadwall, 51
Gallinago gallinago, 60, 162, 164, 165
stenura, 60
Garganey, 51
Garrett, Kimball L., Population status and distribution of naturalized parrots in southern California, 181–195, and Karen T. Mabb, Charles T. Collins, and Lisa M. Kares, Food items of naturalized parrots in southern California, 196–201
Gavia adamsii, 48, 122
arctica, 47
immer, 48, 97
pacifica, 48, 97
stellata, 47
Geothlypis trichas, 76, 105
Geupel, Geoffrey R., see Yanega, G. M.
Gibson, Daniel D., and Brina Kessel, Inventory of the species and subspecies of Alaska birds, 45–95
Glareola maldivarum, 57
Glaucidium gnoma, 65
Godwit, Bar-tailed, 59, 128
Black-tailed, 59
Hudsonian, 59
Marbled, 59, 160, 162, 163, 165
Goldeneye, Barrow's, 52
Common, 52
Golden-Plover, American, 57
Pacific, 57
Goldfinch, American, 82
Lesser, 106
Goose, Barnacle, 47
Bean, 50
Canada, 50–51
Emperor, 50, 125
Greater White-fronted, 50
Lesser White-fronted, 50
Ross', 50
Snow, 50
Goshawk, 53, 113–114
Grackle, Common, 36, 40, 80, 135
Great-tailed, 106
Grasshopper-Warbler, Middendorff's, 70
Grebe, Eared, 98
Horned, 48
Pied-billed, 48
Red-throated, 48
Western, 48, 98
Greenfinch, Oriental, 82
Greenshank, Common, 58
Grosbeak, Black-headed, 76
Blue, 76, 179
Evening, 82
Pine, 80–81
Rose-breasted, 35, 47
Ground-Dove, Ruddy, 132, 138
Grouse, Blue, 55
Ruffed, 56
Sharp-tailed, 56
Spruce, 55
Grus canadensis, 56–57
grus, 57
Guillemot, Black, 63
Pigeon, 63
Guiraca caerulea, 76, 179
Gull, Black-headed, 61, 137
Black-tailed, 21–22, 61
Bonaparte's, 21, 61, 103
California, 20, 23, 61, 103
Franklin's, 20–21, 61
Glaucous, 27, 62
Glaucous-winged, 20, 24, 25, 27, 62

Great Black-backed, 62
Heermann's, 21, 61, 97, 102–103, 106
Herring, 24, 61
Iceland, 61
Ivory, 62, 118
Lesser Black-backed, 62, 131
Little, 131
Mew, 22, 61
Ring-billed, 20, 22–23, 61, 103
Ross', 62
Sabine's, 62
Slaty-backed, 24–25, 26, 62, 118
Swallow-tailed, 118
Thayer's, 24, 61
Western, 20, 25–27, 62
Yellow-footed, 103, 106
Gyrfalcon, 55, 136

Haematopus bachmani, 57
palliatus, 100
Haliaeetus albicilla, 53
leucocephalus, 53
pelagicus, 53
Hampton, Steve, Rare migrants in California: The determinants of their frequency, 30–42
Harrier, Northern, 53
Hawfinch, 82
Hawk, Common Black, 136
Cooper's, 113
Red-tailed, 53–54, 103
Rough-legged, 54
Sharp-shinned, 53
Swainson's, 53
Zone-tailed, 127, 136
Hawk-Owl, Northern, 64–65
Heinl, Steven C., New information on gulls in southeastern Alaska, 91–29
Helmitheros vermivorus, 35, 134, 138
Heron, Black-crowned Night, 49–50, 100
Chinese Pond, 49
Great Blue, 49, 100
Green, 49, 100
Tricolored, 124
Yellow-crowned Night, 124–125
Heteroscelus brevipes, 58
incanus, 58, 100, 102
Himantopus himantopus, 57
Hirundapus caudacutus, 65
Hirundo fulva, 178
pyrrhonota, 68
rustica, 68, 104–105
Histrionicus histrionicus, 52
Hobby, Eurasian, 54
Hoopoe, 66
Howell, Steve N. G., and Peter Pyle, Twentieth report of the California Bird Records Committee: 1994 records, 117–141
Hummingbird, Anna's, 13–18, 66, 104, 130
Black-chinned, 17, 130
Broad-billed, 132
Calliope, 47
Costa's, 66, 104, 130
Ruby-throated, 66, 117, 129, 130, 133
Rufous, 13–18, 66, 104
Hylocichla mustelina, 33

Icteria virens, 47
Icterus pustulatus, 106
spurius, 36
Ictinia mississippiensis, 127, 136
Ixobrychus sinensis, 49
Ixoreus naevius, 73

Jaeger, Long-tailed, 60
Parasitic, 60
Pomarine, 60, 102
Jay, Blue, 33, 111
Gray, 68
Steller's, 69, 111
Junco, Dark-eyed, 78–79
Junco hyemalis, 78–79
Jynx torquilla, 66

Kares, Lisa M., see Garrett, K. L.; see Collins, C. T.
Kessel, Brina, see Gibson, D. D.
Kestrel, American, 54, 104, 106, 206
Eurasian, 54
Kiff, Lloyd F., and Dennis R. Paulson, Northern Goshawk breeding records from San Diego County, California, 113–114
Killdeer, 57, 115, 161, 162
Kingbird, Cassin's, 111, 178
Eastern, 32, 33, 39, 68, 110, 111
Gray, 33
Tropical, 67, 104
Western, 67, 111
Kingfisher, Belted, 66, 104
Kinglet, Golden-crowned, 71
Ruby-crowned, 71
Kite, Mississippi, 127, 136
Kittiwake, Black-legged, 62
Red-legged, 62, 118
Knot, Great, 59
Red, 59, 160, 162, 165

Lagopus lagopus, 55–56
leucurus, 56
mutus, 56

LaHaye, William S., Four young fledged by a pair of California Spotted Owls, 108–109
Lanius cristatus, 74
excubitor, 74
ludovicianus, 105
Lark, Horned, 2, 68
Sky, 68
Larus argentatus, 24, 61
californicus, 20, 23, 61, 103
canus, 22, 61
crassirostris, 21–22, 61
fuscus, 62, 131
delawarensis, 20, 22–23, 61, 103
glaucescens, 20, 24, 25, 27, 62
glaucoides, 61
heermanni, 21, 61, 97, 102–103, 106
hyperboreus, 27, 62
livens, 103, 106
marinus, 62
minutus, 131
occidentalis, 20, 25–27, 62
philadelphia, 21, 61, 103
pipixcan, 20–21, 61
ridibundus, 61, 137
schistisagus, 24–25, 26, 62, 118
thayeri, 24, 61
Lester, Gary, see Tuttle, D. C.
Leucosticte tephrocotis, 80
Leukering, Tony, and Jim Bradley, Some observations of birds on the central Mexican plateau, 177–180
Limicola falcinellus, 60
Limnodromus griseus, 60, 160, 161, 162, 164, 166
scolopaceus, 60, 160, 162, 164, 165
Limnothlypis swainsonii, 35
Limosa fedoa, 59, 160, 162, 163, 165
haemastica, 59
lapponica, 59, 128
limosa, 59
Locustella lanceolata, 70, 118
ochotensis, 70
Loon, Arctic, 47
Common, 48, 97
Pacific, 48, 97
Red-throated, 47
Yellow-billed, 48, 122
Longspur, Chestnut-collared, 36, 41
Lapland, 79
McCown's, 36
Smith's, 2, 36, 79
Lophodytes cucullatus, 52
Lory, Red, 184
Lovebird, Masked, 184
Peach-faced, 184
Loxia curvirostra, 81
leucoptera, 81
Luscinia calliope, 71–72
cyane, 72
svecica, 72, 138
Lymnocryptes minimus, 60

Mabb, Karen T., Roosting behavior of naturalized parrots in the San Gabriel Valley, California, 202–208; Nesting behavior of *Amazona* parrots and Rose-ringed Parakeets in the San Gabriel Valley, California, 209–217; see also Garrett, K. L.
Macaw, Blue-and-yellow, 184
Military, 184
Red-and-green, 184
Scarlet, 184
Magpie, Black-billed, 69, 111
Mallard, 51
Martin, Common House, 68
Purple, 68, 104–105
Meadowlark, Eastern, 36
Western, 80
Megaceryle alcyon, 66, 104
Melanerpes aurifrons, 177
erythrocephalus, 33
Melanitta fusca, 52
nigra, 52
perspicillata, 52
Melopsittacus undulatus, 183, 184, 185
Melospiza georgiana, 36, 40, 41, 78
lincolnii, 78, 106
melodia, 78
Merganser, Common, 52
Hooded, 52
Red-breasted, 52
Mergellus albellus, 52
Mergus merganser, 52
serrator, 52
Merlin, 54
Mimus polyglottos, 73, 105
Mniotilta varia, 35, 41, 76
Mockingbird, Northern, 73, 105
Molothrus ater, 80, 106, 111, 143, 149–150, 152, 153–154, 225
Motacilla alba, 73
cinerea, 73
flava, 73
lugens, 73, 131, 134
Murre, Common, 63
Thick-billed, 63, 132
Murrelet, Ancient, 63
Craveri's, 97, 103, 106

Kittlitz's, 63
Marbled, 63
Muscicapa dauurica, 71
griseisticta, 71
sibirica, 71
Myadestes townsendi, 2, 72
Myiarchus crinitus, 33, 67
tuberculifer, 133
Myiopsitta monachus, 184, 192

Nandayus nenday, 186, 187, 190, 192, 198–199, 200, 202, 203, 204
Needletail, White-throated, 65
Nighthawk, Common, 65
Lesser, 65, 104
Night-Heron, Black-crowned, 49–50, 100
Yellow-crowned, 124–125
Nightjar, Buff-collared, 118
Jungle, 65
Nucifraga columbiana, 69
Numenius americanus, 160, 162, 163, 165
borealis, 58
madagascariensis, 59
minutus, 58, 117, 128
phaeopus, 58, 160, 162, 163, 165
tahitiensis, 59
Nutcracker, Clark's, 69
Nuthatch, Red-breasted, 69
Nyctea scandiaca, 64
Nycticorax nycticorax, 49–50, 100
violaceus, 124–125
Nymphicus hollandicus, 184, 185, 203, 204

Oceanodroma furcata, 48
leucorhoa, 48, 121
melania, 98
microsoma, 98
Oenanthe oenanthe, 72, 133
Oldsquaw, 52
Oporornis agilis, 35, 135
formosus, 35, 135, 138
philadelphia, 35, 76, 117, 132, 135
tolmiei, 76, 132
Oriole, Orchard, 36
Streak-backed, 106
Osprey, 53, 104
Otus kennicottii, 64
sunia, 64
Ovenbird, 35, 40, 76
Owl, Barred, 65
Boreal, 65
Burrowing, 104
Great Gray, 65
Great Horned, 64, 104
Long-eared, 65
Northern Hawk, 64–65
Northern Pygmy, 65
Northern Saw-whet, 65
Oriental Scops, 64
Short-eared, 65
Snowy, 64
Spotted, 108–109
Western Screech, 64
Oxyura jamaicensis, 53
Oystercatcher, American, 100
Black, 57

Pachyramphus aglaiae, 118
Pagophila eburnea, 62, 118
Pandion haliaetus, 53, 104
Parakeet, Black-hooded, 186, 187, 190, 192, 198–199, 200, 202, 203, 204
Blue-crowned, 185, 186, 191, 192, 193, 197, 198–199, 200, 203, 204
Canary-winged, 183, 186, 188, 191, 192, 193, 196, 209
Gray-cheeked, 184, 192
Mitred, 186, 187, 190, 191, 192, 197, 198–199, 200, 203, 204, 218–222
Monk, 184, 192
Moustached, 184
Orange-fronted, 182, 192
Red-breasted, 184
Red-masked, 186, 187, 191, 192, 197, 198–199, 200, 203, 204
Rose-ringed, 185, 186, 192, 198–199, 200, 202, 204, 207, 209–217
White-winged, 188
Yellow-chevroned, 183, 186, 188, 191, 192, 196, 197, 198–199, 200
Parrot, Blue-fronted, 184, 192, 203, 204, 213
Burrowing, 184
Gray, 184, 203, 204
Lilac-crowned, 186, 189, 190, 191, 192, 198–199, 200, 202–208, 209–217
Niam-niam, 184
Orange-winged, 184, 192
Red-crowned, 186, 188–189, 191, 192, 193, 196, 197, 198–199, 200, 202–208, 209–217
Red-lored, 184, 192, 202, 203, 204, 213
Red-spectacled, 184
White-fronted, 184, 203, 204, 205

Yellow-crowned, 189, 192
Yellow-headed, 186, 189–190, 191, 192, 193, 197, 198–199, 200, 202, 203, 204, 209, 215
Yellow-naped, 189, 192
Parrotlet sp., 203, 204
Parula, Northern, 34
Parula americana, 34
Parus atricapillus, 69
cinctus, 69
gambeli, 69
hudsonicus, 69
rufescens, 69
Passer domesticus, 82, 106
Passerculus sandwichensis, 2, 77, 105
Passerella iliaca, 77–78
Passerina amoena, 225–227
ciris, 35, 135, 139
cyanea, 35, 76, 225–227
Paulson, Dennis R., *see* Kiff, L. F.
Pelecanus erythrorhynchos, 48
occidentalis, 100, 106
Pelican, American White, 48
Brown, 100, 106
Perisoreus canadensis, 68
Petrel, Bulwer's, 117–118
Cook's, 48
Dark-rumped, 117, 122–123, 126
Mottled, 48
Murphy's, 123, 136
Parkinson's, 117
Solander's, 136
Petterson, Jim R., *see* Sogge, M. K.
Pewee, Eastern Wood, 33, 40, 117, 133
Greater, 137
Western Wood, 67, 110–112
Phaethon aethereus, 98, 106
rubricauda, 123–124
Phalacrocorax auritus, 49, 100
kenyoni, 49
pelagicus, 49
penicillatus, 49, 97, 100, 106
urile, 49
Phalaenoptilus nuttallii, 47
Phalarope, Red, 60
Red-necked, 60, 102
Wilson's, 60
Phalaropus fulicaria, 60
lobatus, 60, 102
tricolor, 60
Pheucticus ludovicianus, 35, 47
melanocephalus, 76
Philomachus pugnax, 60
Phoebe, Black, 104
Eastern, 33, 67, 111
Say's, 2, 67, 97, 104
Phoebetria palpebrata, 117, 122, 125, 126
Phylloscopus borealis, 71, 118
fuscatus, 71
sibilatrix, 71
Pica pica, 69, 111
Picoides arcticus, 67
pubescens, 66
tridactylus, 66
villosus, 66
Pigeon, Band-tailed, 64
Pinicola enucleator, 80–81
Pintail, Northern, 51
Pipilo maculatus, 76–77
Pipit, American, 2, 74, 105
Olive-backed, 74
Pechora, 74
Red-throated, 74, 138
Sprague's, 34, 138
Tree, 74
Piranga ludoviciana, 76
olivacea, 35, 76, 135, 138
Platycercus elegans, 184
eximius, 184
Plectrophenax hyperboreus, 79
nivalis, 79
Plover, American Golden, 57
Black-bellied, 57, 160, 161, 162
Common Ringed, 57, 118
Little Ringed, 57
Mongolian, 57
Pacific Golden, 57
Semipalmated, 57, 161, 162
Snowy, 57, 115, 174–176
Wilson's, 137
Pluvialis dominica, 57
fulva, 57
squatarola, 57, 160, 161, 162
Pochard, Common 51
Podiceps auritus, 48
grisegena, 48
nigricollis, 98
Podilymbus podiceps, 48
Poicephalus crassus, 184
Polysticta stelleri, 52
Pond-Heron, Chinese, 49
Poorwill, Common, 47
Porzana carolina, 56
Pratincole, Oriental, 57
Procellaria parkinsoni, 117
Progne subis, 68, 104–105
Protonotaria citrea, 35
Prunella montanella, 73
Psittacula alexandri, 184, 192
krameri, 185, 186, 198–199, 200, 202, 204, 207, 209–217

Psittacus erithacus, 184, 203, 204
Ptarmigan, Rock, 56
White-tailed, 56
Willow, 55–56
Pterodroma cookii, 48
inexpectata, 48
phaeopygia, 117, 122–123, 126
solandri, 136
ultima, 123, 136
Ptilogonys cinereus, 138
Ptychoramphus aleuticus, 63
Puffin, Horned, 64
Tufted, 64
Puffinus bulleri, 47
carneipes, 47
creatopus, 47
gravis, 117, 123
griseus, 48, 98
opisthomelas, 98
pacificus, 136
puffinus, 47, 123, 136
tenuirostris, 48
Pyrrhula pyrrhula, 82
Pygmy-Owl, Northern, 65
Pyle, Peter, see Yanega, G. M.; see Howell, S. N. G.

Quiscalus mexicanus, 106
quiscula, 36, 40, 80, 135

Rail, Virginia, 56
Rallus limicola, 56
Raven, Common, 69, 105, 106, 111
Recurvirostra americana, 57
Redhead, 51
Redpoll, Common, 81
Hoary, 81–82
Redshank, Spotted, 58
Redstart, American, 35, 41, 76
Regulus calendula, 71
satrapa, 71
Rhodostethia rosea, 62
Riparia riparia, 68
Rissa brevirostris, 62, 118
tridactyla, 62
Robin, American, 73
Siberian Blue, 72
Rosefinch, Common, 81
Rosella, Crimson, 184
Eastern, 184
Rosy-Finch, Gray-crowned, 80
Rowe, Sean P., and Daniel S. Cooper, Confirmed nesting of an Indigo with a Lazuli Bunting in Kern County, California, 225–227
Rubythroat, Siberian, 71–72
Ruff, 60

Salpinctes obsoletus, 105, 106, 223–224
Sanderling, 59, 159, 162, 164, 166
Sandpiper, Baird's, 59
Broad-billed, 60
Buff-breasted, 60
Common, 58
Curlew, 60, 127, 131
Green, 58
Least, 59, 160, 162, 164, 165
Marsh, 58
Pectoral, 59
Purple, 59
Rock, 59–60
Semipalmated, 59
Sharp-tailed, 59
Solitary, 58
Spoonbill, 60
Spotted, 58,100, 102, 162–163
Stilt, 60
Terek, 58
Upland, 2, 58, 128
Western, 59, 160, 161, 162, 164, 166
White-rumped, 59, 137
Wood, 58
Sapsucker, Red-breasted, 66
Red-naped, 33, 41
Yellow-bellied, 33, 41, 66
Saxicola torquatus, 72
Sayornis phoebe, 33, 67, 111
nigricans, 104
saya, 2, 67, 97, 104
Scaup, Greater, 52
Lesser, 52
Scops-Owl, Oriental, 64
Scoter, Black, 52
Surf, 52
White-winged, 52
Screech-Owl, Western, 64
Sea-Eagle, Steller's, 53
Seiurus aurocapillus, 35, 40, 76
motacilla, 35, 107, 135
noveboracensis, 35, 40, 76
Selasphorus rufus, 13–18, 66, 104
Setophaga ruticilla, 35, 41, 76
Shearwater, Black-vented, 98
Buller's, 47
Flesh-footed, 47
Greater, 117, 123
Manx, 47, 123, 136
Pink-footed, 47
Short-tailed, 48
Sooty, 48, 98
Wedge-tailed, 136

Shoveler, Northern, 51
Shrike, Brown, 74
  Loggerhead, 105
  Northern, 74
Sialia currucoides, 72
  sialis, 33
Silky-Flycatcher, Silky, 138
Siskin, Eurasian, 82
  Pine, 82
Sitta canadensis, 69
Skua, South Polar, 61
Smew, 52
Snipe, Common, 60, 162, 164, 165
  Jack, 60
  Pin-tailed, 60
Sogge, Mark K., Timothy J. Tibbitts, and Jim R. Petterson, Status and breeding ecology of the Southwestern Willow Flycatcher in the Grand Canyon, 142–157
Solitaire, Townsend's, 2, 72
Somateria fischeri, 52
  mollissima, 52
  spectabilis, 52, 127
Sora, 56
Sparrow, American Tree, 2, 77
  Baird's, 36, 179
  Black-chinned, 106
  Black-throated, 36, 105, 106
  Brewer's, 1–12, 35, 39, 77, 105, 179
  Henslow's, 36
  Chipping, 77
  Clay-colored, 6, 35, 40, 77, 105, 179
  Field, 35, 117, 135
  Fox, 77–78
  Golden-crowned, 78
  Grasshopper, 179
  Harris', 78
  House, 82, 106
  Lark, 77, 105
  LeConte's, 36, 135
  Lincoln's, 78, 106
  Field, 35
  Savannah, 2, 77, 105
  Sharp-tailed, 36
  Song, 78
  Swamp, 36, 40, 41, 78
  Timberline, 1–12, 77
  White-crowned, 2, 78, 106
  White-throated, 40, 78
Speotyto cunicularia, 104
Sphyrapicus nuchalis, 33, 41
  ruber, 66
  varius, 33, 41, 66
Spiza americana, 35
Spizella arborea, 2, 77
  atrogularis, 106
  breweri, 1–12, 35, 39, 77, 105, 179
  pallida, 6, 35, 40, 77, 105, 179
  passerina, 77
  pusilla, 35, 117, 135
Spoonbill, Roseate, 117, 125
Starling, European, 74, 178, 212
Stein, Richard, see Tuttle, D. C.
Stelgidopteryx serripennis, 68, 178
Stellula calliope, 47
Stercorarius longicaudus, 60
  parasiticus, 60
  pomarinus, 60, 102
Sterna aleutica, 63
  caspia, 62
  elegans, 103, 169–173
  forsteri, 62, 131
  fuscata, 117, 128
  hirundo, 62
  maxima, 103
  paradisaea, 63
  sandvicensis, 169–173
Stilt, Black-winged, 57
Stint, Little, 59, 128, 137
  Long-toed, 59
  Red-necked, 59, 117, 128, 131
  Temminck's, 59
Stonechat, 72
Storm-Petrel, Black, 98
  Fork-tailed, 48
  Leach's, 48, 121
  Least, 98
Streptopelia orientalis, 64
Strix nebulosa, 65
  occidentalis, 108–109
  varia, 65
Sturnella magna, 36
  neglecta, 80
Sturnus vulgaris, 74, 178, 212
Sula dactylatra, 98, 99, 124
  leucogaster, 100, 102, 106, 124
  nebouxii, 100, 101, 106
  sula, 124
Surfbird, 59, 102
Surnia ulula, 64–65
Swallow, Bank, 68
  Barn, 68, 104–105
  Cave, 178
  Cliff, 68
  Northern Rough-winged, 68, 178
  Tree, 68, 178
  Violet-green, 68, 104–105

Swan, Tundra, 50
Trumpeter, 50
Whooper, 50, 117, 125
Swift, Black, 65, 137
Chimney, 65
Common, 65
Fork-tailed, 65–66
Vaux's, 65
White-fronted, 137
White-throated, 104
Synthliboramphus antiquus, 63
craveri, 97, 103, 106

Tachycineta bicolor, 68, 178
thalassina, 68, 104–105
Tanager, Scarlet, 35, 76, 135, 138
Western, 76
Tarsiger cyanurus, 72
Tattler, Gray-tailed, 58
Wandering, 58, 100, 102
Teal, Baikal, 51
Blue-winged, 51
Cinnamon, 51
Falcated, 51
Green-winged, 51
Tern, Aleutian, 63
Arctic, 63
Black, 63
Caspian, 62
Common, 62
Elegant, 103, 169–173
Forster's, 62
Royal, 103
Sandwich, 169–173
Sooty, 117, 128, 131
White-winged, 63, 118
Tershy, Bernie R., and Dawn Breese, The birds of San Pedro Mártir Island, Gulf of California, Mexico, 96–107
Thrasher, Brown, 33, 73
Curve-billed, 97, 105
Thrush, Dusky, 73
Eyebrowed, 73
Gray-cheeked, 33, 40, 72, 133–134
Hermit, 72, 105
Swainson's, 72
Varied, 73
Wood, 33
Tibbitts, Timothy J., see Sogge, M. K.
Tit, Siberian, 69
Towhee, Spotted, 76–77
Toxostoma curvirostre, 97, 105
rufum, 33, 73
Tringa erythropus, 58
flavipes, 58, 160, 162
glareola, 58
melanoleuca, 58, 160, 161–162
nebularia, 58
ochropus, 58
solitaria, 58
stagnatilis, 58
Troglodytes troglodytes, 70
Tropicbird, Red-billed, 98, 106
Red-tailed, 123–124
Tryngites subruficollis, 60
Turdus migratorius, 73
naumanni, 73
obscurus, 73
pilaris, 73
Turnstone, Black, 59, 102, 162, 163, 165
Ruddy, 59, 162, 163
Turtle-Dove, Oriental, 64
Tuttle, Donald C., Richard Stein, and Gary Lester, Snowy Plover nesting on Eel River gravel bars, Humboldt County, 174–176
Tympanuchus phasianellus, 56
Tyrannus dominicensis, 33
forficatus, 33, 133
melancholicus, 67, 104
tyrannus, 32, 33, 39, 68, 110, 111
verticalis, 67, 111
vociferans, 111, 178

Upupa epops, 66
Uria aalge, 63
lomvia, 63, 132

Veery, 33, 40, 41, 47, 73, 133
Vermivora celata, 2, 75, 105
chrysoptera, 34, 134
peregrina, 34, 41, 75
pinus, 34, 134
virginiae, 34, 39
Vireo, Black-capped, 34
Gray, 178–179
Philadelphia, 34, 75, 134, 138
Red-eyed, 34, 40, 75
Solitary, 75, 111
Warbling, 75
White-eyed, 34, 134
Yellow-green, 134
Yellow-throated, 34, 134, 138
Vireo atricapillus, 34
flavifrons, 34, 134, 138
flavoviridis, 134
gilvus, 75
griseus, 34, 134
solitarius, 75, 111

olivaceus, 34, 40, 75
philadelphicus, 34, 75, 134, 138
vicinior, 178–179
Vulture, Black, 118
Turkey, 52

Wagtail, Black-backed, 73, 131, 134
Gray, 73
White, 73
Yellow, 73
Walsh, John J., and Carl E. Bock, Likely occurrence of overlapping broods in the Rock Wren, 223–224.
Warbler, Arctic, 71, 118
Bay-breasted, 35
Black-and-white, 35, 41, 76
Blackburnian, 34, 41
Blackpoll, 35, 41, 76
Black-throated Blue, 34, 41
Black-throated Green, 34, 75
Blue-winged, 34, 134
Canada, 35, 40, 76
Cape May, 34, 75
Cerulean, 35
Chestnut-sided, 34, 41
Connecticut, 35, 135
Dusky, 71
Golden-cheeked, 34
Golden-winged, 34, 134
Hooded, 35
Kentucky, 35, 135, 138
Kirtland's, 32, 34, 40
Lanceolated, 70, 118
MacGillivray's, 76, 132
Magnolia, 34, 75
Middendorff's Grasshopper, 70
Mourning, 35, 76, 117, 132, 135
Orange-crowned, 2, 75, 105
Palm, 34, 40, 41, 76
Pine, 34, 134
Prairie, 34, 41, 75
Prothonotary, 35
Swainson's, 35
Tennessee, 34, 41, 75
Townsend's, 75, 105
Virginia's, 34, 39
Wilson's, 2, 76, 105, 179
Wood, 71
Worm-eating, 35, 134, 138
Yellow, 75
Yellow-rumped, 75, 105
Yellow-throated, 34, 134
Waterthrush, Louisiana, 35, 117, 135
Northern, 35, 40, 76
Waxwing, Bohemian, 74
Cedar, 74
Wheatear, Northern, 72, 133
Whimbrel, 58, 160, 162, 163, 165
Whip-poor-will, 65
Wigeon, American, 51
Eurasian, 51
Willet, 47, 162, 165
Wilsonia canadensis, 35, 40, 76
citrina, 35
pusilla, 2, 76, 105, 179
Woodpecker, Black-backed, 67
Downy, 66
Golden-fronted, 177
Great Spotted, 66
Hairy, 66
Red-headed, 33
Three-toed, 66
Wood-Pewee, Eastern, 33, 40, 117, 133
Western, 67, 110–112
Wren, Rock, 105, 106, 223–224
Sedge, 33
Winter, 70
Wryneck, Eurasian, 66

Xanthocephalus xanthocephalus, 80
Xema sabini, 62
Xenus cinereus, 58

Yanega, Gregor M., Peter Pyle, and Geoffrey R. Geupel, The timing and reliability of bill corrugations for ageing hummingbirds, 13–18
Yellowlegs, Greater, 58, 160, 161–162
Lesser, 58, 160, 162
Yellowthroat, Common, 76, 105

Zenaida asiatica, 64, 104
macroura, 64, 104, 106
Zonotrichia albicollis, 40, 78
atricapilla, 78
leucophrys, 2, 78, 106
querula, 78